

19"-ETSI modular subracks


Open module for many configuration :

- Horizontal rails FUN (rear cabling) or RAP (HPUL type)
- Patch panel with coaxial, keystone jack or optical connectors
- Horizontal DIN Rail (35 mm)
- Robust and sober design

Application

These modular subracks integrated on 19" or ETSI racks can answer to all telecom configurations (Video, Data and Communication) with copper or optical network with possibility to include Power Distribution Unit (PDU).


with DIN rail 35mm



with FUN frame



with patch panel




Description

Each subrack consists in :


- ➔ Fixing brackets for 19" or ETSI (21") racks
 - ➔ Patch panel or DIN rail (35mm) with clamping area height 1U
- or
- ➔ Horizontal rail FUN (rear cabling) or RAP (HPUL type) height 4U
 - ➔ Fixing kit with 4 M6 screws, 4 rings and 4 cage nuts

Holes on patch panels (other designs on demand : SUBD, SCSI, LC, FC, ...) :


Coax.
1.6/5.6




Coax.
BNC Ø13



Keystone
Jack



SC
(LC Duplex)



| Specifications


Materials	
FUN/RAP rails	Aluminium
Other metallic parts	Aluminium
Plastic brace (FUN)	Polycarbonate UL94 V0
Environment	
ROHS and REACH	Compliant

| Sizes

19 inches or ETSI (21 inches), height 1U except with FUN/RAP frame height 4U and depth maxi 130mm (Other sizes available on demand).


| Available designs

With horizontal frame FUN/RAP*

	Designation	code	Pack.
	Subrack 19"/ETSI with FUN rail length 435mm	10076928	1
	Subrack 19"/ETSI with RAP rail length 435mm	10192224	1

*COMPAX or COBRAT modules to be ordered separately.

With patch panel

	Designation	code	Pack.
	Subrack 19"/ETSI for 32 connectors coax 1.6/5.6	10227870	1
	Subrack 19"/ETSI for 32 connectors coax BNC Ø13	10132709	1
	Subrack 19"/ETSI for 16 connectors keystone jack	10132635	1
	Subrack 19"/ETSI for 16 connectors type SC	10198247	1

With DIN rail 35mm

	Designation	code	Pack.
	Subrack 19"/ETSI with DIN rail length 400mm	10254787	1

| See also





COF 19 → Indoor wall-mounted cabinets with 19" rack






The information given herein, including drawings, illustrations and schematics are intended for information purposes only. Although it is believed to be reliable, such information as well as all performance figures and other data contained in this document are generic, and must be confirmed in writing by Nexans Interface, before they become applicable to any tender, order or contract and binding on Nexans Interface.

| Accessories**






Coaxial range

	Designation	code	Pack.
	Female 1.6/5.6 connector for cable L910	10127365	1
	Female/Female 1.6/5.6 cross connector	10078199	
	Female BNC Ø13 connector for cable L910	10078194	1
	Female/Female BNC Ø13 cross connector	10080237	1

Keystone jack range

	Designation	code	Pack.
	Keystone jack full shielded Cat 6 without tool	10194131	1
	Keystone inline coupler full shielded Cat 6	10144694	1
	Cable LSZH 4 pairs F/UTP cat 5E color Orange	10041143	500m
	Cable LSZH 4 pairs F/UTP cat 6 color Orange	10040661	500m

Optical range

	Designation	code	Pack.
	Monomode adapter type SC/APC with clip	10082795	1
	Monomode adapter type SC/PC with clip	10078026	1
	Multimode adapter type SC with clip	10077999	1
	Monomode adapter type LC/PC Duplex with clip	10121295	1
	Multimode adapter type LC Duplex	10131984	1

** Others connectivities, cables, cords or breakouts on demand.

Nexans Interface - 33, rue des peupliers - F 92000 Nanterre – France – ☎ : +33 (0)1 56 47 53 53


www.nexans.com

The information given herein, including drawings, illustrations and schematics are intended for information purposes only. Although it is believed to be reliable, such information as well as all performance figures and other data contained in this document are generic, and must be confirmed in writing by Nexans Interface, before they become applicable to any tender, order or contract and binding on Nexans Interface.

Bandeau-19P-ETSI-003-GB